MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING


PAPERS PUBLISHED IN THE PERIOD 1985 SEPTEMBER TO OCTOBER

VOL. 216

EDITORIAL BOARD

DR M. J. BARLOW. DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE, LONDON DR R. D. CANNON, ROYAL OBSERVATORY, EDINBURGH
DR M. G. EDMUNDS, DEPARTMENT OF APPLIED MATHEMATICS AND ASTRONOMY, CARDIFF PROFESSOR A. C. FABIAN, INSTITUTE OF ASTRONOMY, CAMBRIDGE DR C. JORDAN, DEPARTMENT OF THEORETICAL PHYSICS, OXFORD DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE DR R. S. STOBIE, ROYAL OBSERVATORY, EDINBURGH PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

Published for the Royal Astronomical Society by Blackwell Scientific Publications Oxford London Edinburgh Boston Palo Alto Melbourne



AUTHOR INDEX

ADAMS N.G.	
see MILLAR T.J.	
ADE P.A.R.	
see RICHARDSON K.J.	
ALLEN A.J., YABUSHITA S. On dissipational processes during galaxy cluster	100
relaxation	155
ARGUE A.N., HEBDEN J.C., MORGAN B.L., STANDLEY C., VINE H.A. Speckle	571
interferometry of Hipparros link stars - II	447
see FABIAN A.C. ATHERTON P.D., REAY N.K., TAYLOR K. The impact of nuclear activity on the disc of	
NGC 1068	17P
AVERY L.W.	
see RICHARDSON K.J.	
BALBINSKI Eugene A new shear instability in rotating, self-gravitating, perfect	
fluids	897
systems arise in galactic discs? BARNES Peter J.	41P
see CASWELL J.L. BARR P., WHITE N.E., PAGE C.G. The discovery of low-level iron K line emission	
from Cyg X-1	65P
BARROW John D., BHAVSAR Suketu P., SONODA D.H. Minimal spanning trees, filaments and galaxy clustering	17
BARROW John D., TIPLER Frank J. Closed universes: their future evolution and final state	395
BASSANI L.	
see SEMBAY S.	
BHAVSAR Suketo P.	
see BARROW John D.	
BINNEY James see GERHARD Ortwin E.	
BJÖRNSSON Claes-Ingvar Frequency-dependent polarization in blazars	241
BLAES O.M. Oscillations of slender tori	553
BOOTH R.S. see DIAMOND P.J.	
BOYLE B.J., FONG R., SHANKS T., CLOWES R.G. A spectroscopic survey of faint	
ultraviolet excess stellar objects.	623
BRANDUARDI-RAYMONT G., MASON K.O., MURDIN P.G., MARTIN C. Serendipitous EXOSAT sources in the region of the Coma cluster: active galactic nuclei with steep	023
X-ray spectra	1043
BREBNER G.C. see COHEN R.J.	
BREINHORST R.A., KARIMIE M.T. The light curve of TX Cassiopeiae: some preliminary	
results about an almost unknown EB-type binary	663
of the Small Magellanic Cloud	165
see COULSON Iain M.	
CANNON R.D.	
see BRUCK M.T.	
CARSWELL R.F.	
see BALDWIN J.A.	750
CASWELL J.L., BARNES Peter J. A new galactic supernova remnant, G312.4-0.4	753 795
CAWTHORNE T.V. The influence of thermal plasma on synchrotron radiation CLARY D.C.	193
See MILLAR T.J.	
CLAYTON C.A., IVCHENKO V.N., MEABURN J., WALSH J.R. Echelle observations of the complex Ha and [N II] line profiles from the Galactic H II region M17 (NGC 6618).	761
CLEMENT R.	
see SEMBAY S. CLIFFORD Peter An interpretation of the mass and velocity spectrum of	
interstellar HI clouds	93
CLOWES R.G.	

CLUBE S.V.M., PAN R. The kinematic centre of the Galaxy	511
see SEMBAY S. COHEN R.J., BREBNER G.C. An OH maser outburst in Cepheus A	51P
COLE G.H.A., HERNIMAN J. Early thermal conditions and internal constitutions of the icy satellites	735
COOKE B. see FABIAN A.C.	
COOK M.C. High-speed photometry of Z Chamaeleontis covering the 1983 March normal outburst	219
distance to the open cluster NGC 6067	671
DANZIGER I.J., LEIBOWITZ E.M. Optical spectrophotometric study of supernova remnants in the Large Magellanic Cloud	365
see FOLEY A.R. DE OLIVIERA A.K.G., SANTOS N.O., KOLASSIS C.A. Collapse of a radiating star DEAN A.J.	1001
see SEMBAY S.	
DIAMOND P.J., NORRIS R.P., BOOTH R.S. Interferometric observations of the mainline OH maser emission from OH127.8-0.0	. 1P
see SEMBAY S.	
DISNEY Michael, PHILLIPPS Steven The surface brightness of spiral galaxies - III. Correlations with other optical properties	53
DONNISON J.R., WILLIAMS I.P. Orbital stability during the early stages of planetary formation	
DOWNES A.J.B.	721
see PERRYMAN M.A.C. DRAPER P.W., WARREN-SMITH R.F., SCARROTT S.M. Illumination of reflection	
nebulosity in the L1551 dark cloud by the infrared sources IRS5 amd L1551NE \ldots . DREW J.	7 P
see TREVES A. EFSTATHIOU G.	
see SMITH R.M.	
EGGLETON P.P.	
see MELNICK Jorge ELLIS R.S.	
see SMITH R.M.	
ELSMORE B. see SEMBAY S.	
ELVIS M.	
see FABIAN A.C.	
FABIAN A.C., ARNAUD K.A., NULSEN P.E.J., WATSON M.G., STEWART G.C., MCHARDY I., SMITH A., COOKE B., ELVIS M., MUSHOTZKY R.F. An X-ray, optical and radio study	
of PKS 0745-191: a massive cooling flow	923
Seyfert 2 galaxy F-427 (ESO 263-G13)	439
see WILSON M.J. FALLE S.A.E.G., WILSON M.J. A theoretical model of the M87 jet	79
FALOMO R. see TREVES A.	
FARINELLA P., PAOLICCHI P., ZAPPALA' V. Original abundance of asteroids from	
their present rotational properties	565
FERNLEY J.A. see LONGMORE A.J. FERRARI-TONIOLO M.	
see SEMBAY S.	
FLOWER D.R., PINEAU DES FORETS G., HARTQUIST T.W. Theoretical studies of interstellar molecular shocks - I. General formulation and effects of the ion-	
molecule chemistry	
FOLEY A.R., DAVIS R.J. MERLIN radio observations of the quasar 3C 273	679
see BOYLE B.J.	


FORSTER J.R., GOSS W.M., GARDNER F.F., STEWART R.T. A search for H2CO	
emission towards OH masersFRANK J.	. 35P
see LONGMORE A.J.	
FRENK C.S. see SMITH R.M.	
GARDNER F.F.	
see FORSTER J.R. GEE G.	
see RICHARDSON K.J. GERHARD Ortwin E., BINNEY James Triaxial galaxies containing massive black hole:	
or central density cusps	
see RICHARDSON K.J.	
GONDHALEKAR P.M. Depletion of elements in shock-driven gas	. 57P
see MORGAN D.H. GOSS W.M.	
see FORSTER J.R.	
GREEN D.A. Observations of compact radio sources in the Galactic plane $\ldots \ldots$ GRIFFIN M.J.	. 691
see RICHARDSON K.J. GULL Stephen F.	
see TAN Sze M.	
GUTHRIE B.N.G. New line identifications in the blue spectra of Hg-Mn stars \dots HANSON C.G.	1
see SEMBAY S. HARTQUIST T.W.	
see FLOWER D.R.	
HARTQUIST T.W.	
see MOUNTAIN C.M.	225
HASSALL B.J.M. A superoutburst of the dwarf nova EK Trianguli Australis HASSALL B.J.M., PRINGLE J.E., VERBUNT F. Dwarf novae in outburst: monitoring W	X
Hydri with IUE	353
see BRUCK M.T.	
HAWKINS M.R.S. Comparison of the quasar populations in two fields	589
HEBDEN J.C.	
see ARGUE A.N. HERNIMAN J.	
see COLE G.H.A.	
HORNE Keith, STEINING Rae F. Eclipse maps of the accretion disc in RW Trianguli HYLAND A.R.	. 933
see MITCHELL R.M.	
IVCHENKO V.N. see CLAYTON C.A.	
JAMESON R.F.	
see LONGMORE A.J.	410
JONES P.A. Six mass-loss stars at 843 MHz	
and infinite linear molecules in very strong magnetic fields	
KARIMIE M.T.	
see BREINHORST R.A. KHALIULLIN Kh. F see KHALIULLINA A.I.	
KHALIULLINA A.I., KHALIULLIN Kh F., MARTYNOV D. Ya. Apsidal motion and the third	
body in the system RU Monocerotis	909
supergiantsKODALI P.D.	127
see SAIKIA D.J.	
KOLASSIS C.A. see DE OLIVIERA A.K.G.	
KREIDL Tobias J. The Ap star 53 Cam: another 21 Com?	
KREIDL Tobias J. Differential photometry of the 8 Sct stars HR 151 and HR 239	1017
KRIEDL Tobias J. KRUTZ D.W.	

KURTZ D.W., KREIDL Tobias J. A frequency analysis of a newly discovered Rapidly	
Oscillating Ap star, HD 6532	
LAUER Tod R. Boxy isophotes, discs and dust lanes in elliptical galaxies	429
LEIBOWITZ E.M.,	
see DANZIGER I.J.	
see PERRYMAN M.A.C.	
LIVIO Mario.	
see PRIALNIK Dina	
LLOYD EVANS T. An R star in the central bulge of the Galaxy	29P
LONGMORE A.J., FERNLEY J.A., JAMESON R.F., SHERRINGTON M.R., FRANK J. VJHK	
observations of the RR Lyrae star VY Serpentis	873
LONGMORE A.J.	
see WHITTET D.C.B.	
MACDOUGALL R.J.	
see SEMBAY S.	
MCFADZEAN A.D.	
see WHITTET D.C.B.	
MCHARDY I.	
see FABIAN A.C.	
MALANEY R.A. On the nature of the neutron exposure event of U Aquarii	743
MARASCHI L.	
see TREVES A.	
MARTIN C. see BRANDUARDI-RAYMONT G.	
MARTYNOV D. Ya.	
see KHALIULLINA A.I.	
MASON K.O.	
see BRANDUARDI-RAYMONT G.	
MASON K.O., PARMAR A.N., WHITE N.E. Simultaneous X-ray and optical observations	
of the X-ray dip source X1755 - 338	1033
MEABURN J.	
see CLAYTON C.A.	
MEABURN J.	
see FAIRALL A.P.	
MEGGITT S.M.A.	
see WICKRAMASINGHE D.T.	
MELNIK Jorge, TERLEVICH Roberto, EGGLETON P.P. Studies of violent star formation	
in extragalactic systems - I. Population synthesis model for the ionizing	220
clusters of giant H II regions and H II galaxies	255
MILLAR T.J., ADAMS N.G., SMITH D., CLARY D.C. The HCS*/CS abundance ratio in interstellar clouds	1025
MITCHELL R.M., ROBINSON G., HYLAND A.R., NEUGEBAUER G. The late infrared	1025
development of Nova Serpentis 1970	1057
MONAGHAN J.J.	1037
see PHILLIPS G.J.	
MORGAN B.L.	
see ARGUE A.N.	
MORGAN D.H., GOOD A.R. New Wolf-Rayet stars in the Large Magellanic Cloud	459
MORRIS Simon, WARD Martin, WHITTLE Mark, WILSON A.S., TAYLOR K. The velocity	
fields and radio structures of the active galaxies NGC 5643 and NGC 7582	193
MOUNTAIN C.M., SELBY M.J., ZADROZNY A., HARTQUIST T.W. Molecular hydrogen	
emmission from the maser source W75N(OH)	13P
MURDIN P.G.	
see BRANDUARDI-RAYMONT G.	
MUSHOTZKY R.F.	
see FABIAN A.C.	62
NETZER Hagai Quasar discs - I. The Baldwin effect	63
see MITCHELL R.M.	
NORRIS R.P. The nature of the megamaser galaxy IC 4553 (Arp 220)	701
NORRIS R.P.	701
see DIAMOND P.J.	
NULSEN P.E.J.	
see FABIAN A.C.	
PAGE C.G.	
see BARR P.	

PAN R.	
see CLUBE S.V.M.	
PANEK Mirosław. Detection of voids by randomly placed spheres	85
PAOLICCHI P.	
see FARINELLA P. PARMAR A.N.	
see MASON K.O.	
PEACOCK J.A.	
see WALL J.V.	
PERRYMAN M.A.C., DOWNES A.J.B., LILLY S.J. The distances and associated	
properties of faint radio sources	641
PERSI P.	
see SEMBAY S.	
PHILLIPS G.J., MONAGHAN J.J. A numerical method for three-dimensional	
simulations of collapsing, isothermal, magnetic gas clouds	883
PHILLIPS M.M.	
see BALDWIN J.A.	
PHILLIPPS Steven	
see DISNEY Michael	
PINEAU DES FORETS G.	
see FLOWER D.R. PITTS E., TAYLER R.J. The adiabatic stability of stars containing magnetic fields	
- VI. The influence of rotation	139
PRIALNIK Dina, LIVIO Mario The outcome of accretion on to a fully convective	137
star: expansion or contraction?	37
PRINGLE J.E.	
see HASSALL B.J.M.	
REAY N.K.	
see ATHERTON P.D.	
RICHARDSON K.J., WHITE GLENN J., GEE G., GRIFFIN M.J., CUNNINGHAM C.T., ADE P.A.R.,	
AVERY L.W. Submillimetre line and continuum observations of the S255 molecular	
cloud	713
ROBINSON G.	
see MITCHELL R.M.	
SAIKIA D.J., SWARUP G., KODALI P.D. Polarization properties of radio cores in galaxies and quasars	385
SANTOS N.O. Non-adiabatic radiating collapse	403
SANTOS N.O.	403
see DE OLIVEIRA A.K.G.	
SAZHIN M.V. Hot and cold spots in the microwave background radiation	25P
SCARROTT S.M.	
see DRAPER P.W.	
SELBY M.J.	
see MOUNTAIN C.M.	
SEMBAY S., COE M.J., CLEMENT R., DEAN A.J., HANSON C.G., FERRARI-TONIOLO M.,	
PERSI P., SPINOGLIO L., BASSANI L., DI COCCO G., MACDOUGALL J.R., ELSMORE B.	
IRAS observations of MKN 501 with quasi-simultaneous observations at radio, near-	121
infrared and ultraviolet wavelengths	121
see BOYLE B.J.	
SHERRINGTON M.R.	
see LONGMORE A.J.	
SMITH A.	
see FABIAN A.C.	
SMITH D.	
see MILLAR T.J.	
SMITH R.M., EFSTATHIOU G., ELLIS R.S., FRENK C.S., VALENTIJN E.A. Relative	
velocities of multiple-nucleus galaxies	
SOLTAN Andrzej Statistics of voids of galaxies	537
SONODA D.H. see BARROW John D.	
SPINOGLIO L.	
see SEMBAY S.	
STANDLEY C.	
see ARGUE A.N.	
STEINING Rae F see HORNE Keith	
see HORNE Keith	

NZI E.G. ee TREVES A. YLER R.J. ee PITTS E.	
ee FORSTER J.R. KETU P. Bhavsar ee BARROW John D. ARUP G. ee SAIKIA D.J. N Sze M., GULL Stephen F. The expansion of Tycho's supernova remnant as letermined by a new algorithm for comparing data	
KETU P. Bhavsar ee BARROW John D. (ARUP G. ee SAIKIA D.J. N Sze M., GULL Stephen F. The expansion of Tycho's supernova remnant as letermined by a new algorithm for comparing data	
ARUP G. ee SAIKIA D.J. N Sze M., GULL Stephen F. The expansion of Tycho's supernova remnant as letermined by a new algorithm for comparing data	
ee SAIKIA D.J. N Sze M., GULL Stephen F. The expansion of Tycho's supernova remnant as etermined by a new algorithm for comparing data	
N Sze M., GULL Stephen F. The expansion of Tycho's supernova remnant as letermined by a new algorithm for comparing data	
etermined by a new algorithm for comparing data90 NZI E.G. ee TREVES A. YIER R.J. ee PITTS E.	
ree TREVES A. YLER R.J. Hee PITTS E.	49
YLER R.J. see PITTS E.	
ee PITTS E.	
WAR W	
YLOR K.	
ee ATHERTON P.D.	
YLOR K. see MORRIS Simon	
RLEVICH Roberto	
ee MELNICK Jorge	
PLER Frank J.	
ARROW John D. EVES A., DREW J., FALOMO R., MARASCHI L, TANZI E.G., WILSON R. UV and optical	
observations of PG 1351+64, a bright Seyfert galaxy or a low-luminosity QSO 52	29
LENTIJN E.A.	
ee SMITH R.M.	
RBUNT F. see HASSALL B.J.M.	
NE H.A.	
see ARGUE A.N.	
LL J.V., PEACOCK J.A. Bright extragalactic radio sources at 2.7 GHz - III. The	
Ill-sky catalogue	-
LLIS M.K., WICKRAMASINGHE N.C. Halley's comet: its size and decay rate 45) 3
see CLAYTON C.A.	
ARD Martin	
see MORRIS Simon	
ARREN-SMITH R.F.	
TSON M.G.	
ee FABIAN A.C.	
HITE Glenn J.	
see RICHARDSON K.J.	
see BARR P.	
HITE N.E.	
see MASON K.O.	
HITTET D.C.B. see KILKENNY David	
	45F
HITTLE Mark The narrow line region of active galaxies - III. Profile	,,,
comparisons 8	817
HITTLE Mark	
see MORRIS Simon ICKRAMASINGHE D.T., MEGGITT S.M.A. An analysis of the AM Her-type variables	
	857
CKRAMASINGHE N.C.	
see WALLIS M.K.	
ILLIAMS I.P. see DONNISON J.R.	
LLLSTROP R.V. The flat-field Mersenne-Schmidt	11
LISON A.S.	-
see MORRIS Simon	
ILSON M.J.	
see FALLE S.A.E.G.	

WILSON M.J., FALLE S.A.E.G. Steady jets	971
WILSON R.	
see TREVES A.	
YABUSHITA S.	
see ALLEN A.J.	
ZADROZNY A.	
see MOUNTAIN C.M.	
ZAPPALA' V.	
see FARINELLA P.	
ZEEUW Tim de. Elliptical galaxies with separable potentials	273
ZEEUW Tim de. A generalization of Kuzmin's theorem	599



SUBJECT INDEX

ABUNDANCES OF THE ELEMENTS	
Optical spectrophotometric study of supernova remnants in the Large Magellanic	
Cloud, DANZIGER I.J., LEIBOWITZ E.M	365
Depletion of elements in shock-driven gas, GONDHALEKAR P.M	57P
ACCRETION AND ACCRETION DISCS	
The outcome of accretion on to a fully convective star: expansion or contraction?	
PRIALNIK Dina, LIVIO Mario	37
Quasar discs - I. The Baldwin effect, NETZER Hagai	63
High-speed photometry of Z Chamaeleontis covering the 1983 March normal outburst,	210
COOK M.C. A superoutburst of the dwarf nova EK Trianguli Australis, HASSALL B.J.M	219 335
Dwarf novae in outburst: monitoring WX Hydri with IUE, HASSALL B.J.M.,	337
PRINGLE J.E., VERBUNT F	353
An analysis of the AM Her-type variables CW 1103+254 and E 1405-451,	
WICKRAMASINGHE D.T., MEGGITT S.M.A.	857
Eclipse maps of the accretion disc in RW Trianguli, HORNE Keith, STEINING Rae F The discovery of low-level iron K line emission from Cyg X-1, BARR P., WHITE N.E.,	933
PAGE C.G	65P
	071
ASTEROIDS	
Original abundance of asteroids from their present rotational properties,	
FARINELLA P., PAOLICCHI P., ZAPPALA' V	565
ASTROMETRY	
Speckle interferometry of Hipparcos link stars - II, ARGUE A.N., HEBDEN J.C.,	
MORGAN B.L., STANDLEY C., VINE H.A	447
BL LAC OBJECTS	
IRAS observations of MKN 501 with quasi-simultaneous observations at radio, near-	
infrared and ultraviolet wavelengths, SEMBAY S., COE M.J., CLEMENT R., DEAN A.J., HANSON C.G., FERRARI-TONIOLO M., PERSI P., SPINOGLIO L., BASSANI L., DI COCCO G.,	
MACDOUGALL J.R., ELSMORE B.	121
Frequency-dependent polarization in blazars, BJÖRNSSON Claes-Ingvar	
BLACK HOLES	1001
Collapse of a radiating star, DE OLIVEIRA A.K.G., SANTOS N.O., KOLASSIS C.A	1001
CELESTIAL MECHANICS	
On dissipational processes during galaxy cluster relaxation, ALLEN A.J.,	
YABUSHITA S	155
Elliptical galaxies with separable potentials, ZEEUW Tim de	273
Triaxial galaxies containing massive black holes or central density cusps, GERHARD Ortwin E., BINNEY James	467
Orbital stability during the early stages of planetary formation, DONNISON J.R.,	407
WILLIAMS I.P.	521
Oscillations of slender tori, BLAES O.M	553
A generalization of Kuzmin's theorem, ZEEUW DE Tim	599
A new shear instability in rotating, self-gravitating, perfect fluids,	207
Eugene BALBINSKI	897
KHALIULLIN Kh. F., MARTYNOV D. YA.	909
COMETS	
Halley's comet: its size and decay rate, WALLIS M.K., WICKRAMISINGHE N.C	453
COSMOLOGY	
Minimal spanning trees, filaments and galaxy clustering, BARROW John D.,	
BHAVSAR Suketu P., SONODA D.H	17
Detection of voids by randomly placed spheres, PANEK Mirosław	85
Bright extragalactic radio sources at 2.7 GHz - III. The all-sky catalogue,	170
WALL J.V., PEACOCK J.A.	173
Closed universes: their future evolution and final state, BARROW John D., TIPLER Frank J.	395
Statistics of voids of galaxies, SOLTAN Andrzej	
Comparison of the quasar populations in two fields. HAWKINS M.R.S	

Magnetic monopoles in anisotropic magnetic cosmologies, STEIN-SCHABES Jaime A Hot and cold spots in the microwave background radiation, SAZHIN M.V	809 25P
DATA REDUCTION Minimal spanning trees, filaments and galaxy clustering, BARROW John D., BHAVSAR Suketu P., SONODA D.H	17
Detection of voids by randomly placed spheres, PANEK Mirostaw	949
GALACTIC CENTRE	
The kinematic centre of the Galaxy, CULBE S.V.M., PAN R	511
GALACTIC STRUCTURE AND STELLAR DYNAMICS	
The velocity fields and radio structures of the active galaxies NGC 5643 and	193
NGC 7582, MORRIS Simon, WARD Martin, WHITTLE Mark, WILSON A.S., TAYLOR K Elliptical galaxies with separable potentials, ZEEUW Tim de	273
Boxy isophotes, discs and dust lanes in elliptical galaxies, LAUER Tod R Triaxial galaxies containing massive black holes or central density cusps,	429
GERHARD Ortwin E., BINNEY James	467 511
A generalization of Kuzmin's theorem, Tim de ZEEUW	599
TAYLOR K	17P
IALDOR R.	111
GALAXIES The surface brightness of spiral galaxies - III. Correlations with other optical	
properties, DISNEY Michael, PHILLIPPS Steven	53
galaxies, MELNICK Jorge, TERLEVICH Roberto, EGGLETON P.P	255
Elliptical galaxies with separable potentials, ZEEUW Tim de	273
Boxy isophotes, discs and dust lanes in elliptical galaxies, LAUER Tod R Triaxial galaxies containing massive black holes or central density cusps,	429
GERHARD Ortwin E., BINNEY James	467
Statistics of voids of galaxies, SOITAN Andrzej	537 701
The nature of the megamaser galaxy IC 4553 (Arp 220), NORRIS R.P	
BALDWIN J.A., PHILLIPS M.M., CARSWELL R.F. Relative velocities of multiple-nucleus galaxies, SMITH R.M., EFSTATHIOU G.,	41P
ELLIS R.S., FRENK C.S., VALENTIJN E.A	/1P
GALAXIES - ACTIVE	
A theoretical model of the M87 jet, FALLE S.A.E.G., WILSON M.J	79
WALL J.V., PEACOCK J.A The velocity fields and radio structures of the active galaxies NGC 5643 and	173
NGC 7582, MORRIS Simon, WARD Martin, WHITTLE Mark, WILSON A.S., TAYLOR K	193
Frequency-dependent polarization in blazars, BJÖRNSSON Claes-Ingvar	241
SWARUP G., KODALI P.D	385
DOWNES A.J.B., LILLY S.J. The narrow line region of active galaxies - III. Profile comparisons,	641
WHITTLE Mark. An X-ray, optical and radio study of PKS 0745-191: a massive cooling flow, FABIAN A.C., ARNAUD K.A., NULSEN P.E.J., WATSON M.G., STEWART G.C., MCHARDY I.,	817
SMITH A., COOKE B., ELVIS M., MUSHOTZKY R.F.	923
Steady jets, WILSON M.J., FALLE S.A.E.G	971
Serendipitous EXOSAT sources in the region of the Coma cluster: Active Galactic Nuclei with steep X-ray spectra, BRANDUARDI-RAYMONT G., MASON K.O., MURDIN P.G.,	
MARTIN C. The impact of nuclear activity on the disc of NGC 1068, ATHERTON P.D.,	1043
REAY N.K., TAYLOR K	17P

GALAXIES - FORMATION OF	
FABIAN A.C., ARNAUD K.A., NULSEN P.E.J., WATSON M.G., STEWART G.C., MCHARDY I., SMITH A., COOKE B., ELVIS M., MUSHOTZKY R.F.	92:
	74.
GALAXIES - NUCLEI OF The structure of the [O III] nuclear region in the Seyfert 2 galaxy F-427	
(ESO 263-G13), FAIRALL A.P., MEABURN J. Serendipitous EXOSAT sources in the region of the Coma cluster: Active Galactic Nuclei with steep X-ray spectra, BRANDUARDI-RAYMONT G.,	439
MASON K.O., MURDIN P.G., MARTIN C	1043
The impact of nuclear activity on the disc of NGC 1068, ATHERTON P.D., REAY N.K., TAYLOR K.	171
Relative velocities of multiple-nucleus galaxies, SMITH R.M., EFSTATHIOU G., ELLIS R.S., FRENK C.S., VALENTIJN E.A.	711
GALAXIES - SEYFERT	
Quasar discs - I. The Baldwin effect, NETZER Hagai	63
NGC 7582, MORRIS Simon, WARD Martin, WHITTLE Mark, WILSON A.S., TAYLOR K The structure of the [O III] nuclear region in the Seyfert 2 galaxy F-427	19:
(ESO 263-G13), FAIRALL A.P., MEABURN J. UV and optical observations of PG 1351+64, a bright Seyfert galaxy or a low-luminosity QSO, TREVES A., DREW J., FALOMO R., MARASCHI L., TANZI E.G.,	439
WILSON R	529 70
The narrow line region of active galaxies - III. Profile comparisons,	
WHITTLE Mark	81
GALAXY CLUSTERS Minimal spanning trees, filaments and galaxy clustering, BARROW John D.,	
BHAVSAR Suketu P., SONODA D.H	1
Detection of voids by randomly placed spheres, PANEK Mirosław	8
YABUSHITA S. Statistics of voids of galaxies, SOŁTAN Andrzej Serendipitous EXOSAT sources in the region of the Coma cluster: Active Galactic Nuclei with steep X-ray spectra, BRANDUARDI-RAYMONT G., MASON K.O., MURDIN P.G.,	
MARTIN C. Relative velocities of multiple-nucleus galaxies, SMITH R.M., EFSTATHIOU G.,	
ELLIS R.S., FRENK C.S., VALENTIJN E.A	71
GRAVITATION AND GRAVITATIONAL RADIATION	
A new shear instability in rotating, self-gravitating, perfect fluids, Eugene BALBINSKI	89
Collapse of a radiating star, DE OLIVEIRA A.K.G., SANTOS N.O., KOLASSIS C.A	
INFRARED ASTRONOMY IRAS observations of MKN 501 with quasi-simultaneous observations at radio, near-infrared and ultraviolet wavelengths, SEMBAY S., COE M.J., CLEMENT R,	
DEAN A.J., HANSON C.G., FERRARI-TONIOLO M., PERSI P., SPINOGLIO L., BASSANI L., DI COCCO G., MACDOUGALL J.R., ELSMORE B.	12
The distances and associated properties of faint radio sources, PERRYMAN M.A.C., DOWNES A.J.B., LILLY S.J.	
VJHK observations of the RR Lyrae star VY Serpentis, LONGMORE A.J., FERNLEY J.A., JAMESON R.F., SHERRINGTON M.R., FRANK J.	87
The late infrared development of Nova Serpentis 1970, MITCHELL R.M., ROBINSON G.,	
HYLAND A.R., NEUGEBAUER G. Illumination of reflection nebulosity in the L1551 dark cloud by the infrared sources IRS5 and L1551NE, DRAPER P.W., WARREN-SMITH R. F., SCARROTT S.M	105
Molecular hydrogen emission from the maser source W75N(OH), MOUNTAIN C.M.,	
SELBY M.J., ZADROZNY A., HARTQUIST T.W	
INSTRUMENTS AND TECHNIOUES The tlat-field Mersenne-Schmidt, WILLSTROP R.V	41

AND		
INTERSTELLAR GRAINS Boxy isophotes, discs and dust lanes in elliptical galaxies, LAU The late infrared development of Nova Serpentis 1970, MITCHELL R HYLAND A.R., NEUGEBAUER G	.M., ROBINSON G.,	429
Solid CO in the Taurus dark clouds, WHITTET D.C.B., LONGMORE A.J Depletion of elements in shock-driven gas, GONDHALEKAR P.M	., MCFADZEAN A.D	451
INTERSTELLAR MEDIUM		
An interpretation of the mass and velocity spectrum of interstel CLIFFORD Peter		9:
LABORATORY ASTROPHYSICS The HCS+/CS abundance ratio in interstellar clouds, MILLAR T.J.,	ADAMS N.G.,	
SMITH D., CLARY D.C Depletion of elements in shock-driven gas, GONDHALEKAR P.M		571
MAGELLANIC CLOUDS		
The colour-magnitude diagram of the halo of the Small Magellanic BRÜCK M.T., CANNON R.D., HAWKINS M.R.S.		165
Optical spectrophotometric study of supernova remnants in the La Cloud, DANZIGER I.J., LEIBOWITZ E.M		365 459
MASERS The nature of the megamaser galaxy IC 4553 (Arp 220), NORRIS R.P Interferometric observations of the mainline OH maser emission f		70
DIAMOND P.J., NORRIS R.P., BOOTH R.S	TAIN C.M.,	11
SELBY M.J., ZADROZNY A., HARTQUIST T.W	W.M.,	131
GARDNER F.F., STEWART R.T. An OH maser outburst in Cepheus A, COHEN R.J., BREBNER G.C		
MICROWAVE BACKGROUND		
Hot and cold spots in the microwave background radiation, SAZHIN	M.V	25
MOLECULES AND MOLECULAR CLOUDS		
An interpretation of the mass and velocity spectrum of interstel CLIFFORD Peter	lar cloud,	9:
RICHARDSON K.J., WHITE Glenn J., GEE G., GRIFFIN M.J., CUNNINGH ADE P.A.R., AVERY L.W.		71:
Echelle observations of the complex Ha and [N II] line profiles H II region M17 (NGC 6618), CLAYTON C.A., IVCHENKO V.N., MEABUR	from the Galactic N J., WALSH J.R	76
Theoretical studies of interstellar molecular shocks - I. Genera effects of the ion-molecule chemistry, FLOWER D.R., PINEAU DES	FORETS G.,	
HARTQUIST T.W	ADAMS N.G.,	
SMITH D., CLARY D.C A search for H_2CO emission towards OH masers, FORSTER J.R., GOSS	S W.M.,	
GARDNER F.F., STEWART R.T		
An OH maser outburst in Cepheus A, COHEN R.J., BREBNER G.C		
NEBULAE - GASEOUS	D. 1	
Studies of violent star formation in extragalactic systems - I. synthesis model for the ionizing clusters of giant H II regions	and H II galaxies	
MELNICK Jorge, TERLEVICH Roberto, EGGLETON P.P Echelle observations of the complex Ha and [N II] line profiles	from the Galactic	
H II region M17 (NGC 6618), CLAYTON C.A., IVCHENKO V.N., MEABUR A numerical method for three-dimensional simulations of collapsi	N J., WALSH J.R	76
magnetic gas clouds, PHILLIPS G.J., MONAGHAN J.J Molecular hydrogen emission from the maser source W75N(OH), MOUN	TAIN C.M.,	
SELBY M.J., ZADROZNY A., HARTQUIST T.W	• • • • • • • • • • • • • • • • • • • •	13
NEBULAE - REFLECTION Illumination of reflection nebulosity in the L1551 dark cloud by	the infrared	
Illumination of reflection nebulosity in the L1551 dark cloud by sources IRS5 and L1551NE, DRAPER P.W., WARREN-SMITH R. F., SCAR	ROTT S.M.	7

NOVAE	
High-speed photometry of Z Chamaeleontis covering the 1983 March normal outburst,	219
A superoutburst of the dwarf nova EK Trianguli Australis, HASSALL B.J.M	335
PRINGLE J.E., VERBUNT F	353
HYLAND A.R., NEUGEBAUER G.	1057
PHYSICAL PROCESSES	
A theoretical model of the M87 jet, FALLE S.A.E.G., WILSON M.J	79
Frequency-dependent polarization in blazars, BJÖRNSSON Claes-Ingvar	241
Non-adiabatic radiating collapse, SANTOS N.O	403
linear molecules in very strong magnetic fields, JONES P.B	503
HARTQUIST T.W	775 795
Magnetic monopoles in anisotropic magnetic cosmologies, STEIN-SCHABES Jaime A A numerical method for three-dimensional simulations of collapsing, isothermal,	809
magnetic gas clouds, PHILLIPS G.J., MONAGHAN J.J	883
Eugene BALBINSKI Steady jets, WILSON M.J., FALLE S.A.E.G.	897 971
Collapse of a radiating star, DE OLIVEIRA A.K.G., SANTOS N.O., KOLASSIS C.A	
PLANETS	
Orbital stability during the early stages of planetary formation, DONNISON J.R., WILLIAMS I.P.	521
Early thermal conditions and internal constitutions of the icy satellites, COLE G.H.A., HERNIMAN J.	735
POLARIZATION OF STARLIGHT	
Frequency-dependent polarization in blazars, BJÖRNSSON Claes-Ingvar	241
WICKRAMASINGHE D.T., MEGGITT S.M.A. Illumination of reflection nebulosity in the L1551 dark cloud by the infrared	857
sources IRS5 and L1551NE, DRAPER P.W., WARREN-SMITH R. F., SCARROTT S.M	7 F
PULSARS	
Density functional calculations of the ground-state energies of atoms and infinite linear molecules in very strong magnetic fields, JONES P.B.	
QUASARS	
Quasar discs - I. The Baldwin effect, NETZER Hagai	63
WALL J.V., PEACOCK J.A	173
SWARUP G., KODALI P.DUV and optical observations of PG 1351+64, a bright Seyfert galaxy or a	385
low-luminosity QSO, TREVES A., DREW J., FALOMO R., MARASCHI L., TANZI E.G., WILSON R.	529
Comparison of the quasar populations in two fields, HAWKINS M.R.S	589
FONG R., SHANKS T., CLOWES R.G. MERLIN radio observations of the quasar 3C 273, FOLEY A.R., DAVIS R.J.	623
Do some QSO low-ionization absorption systems arise in galactic discs? BALDWIN J.A., PHILLIPS M.M., CARSWELL R.F.	41F
	411
RADIATIVE TRANSFER Non-adiabatic radiating collapse, SANTOS N.O	403
The influence of thermal plasma on synchrotron radiation, CAWTHORNE T.V	795

RADIO ASTRONOMY	
An interpretation of the mass and velocity spectrum of interstellar H I clouds, CLIFFORD Peter	93
IRAS observations of MKN 501 with quasi-simultaneous observations at radio, near-infrared and ultraviolet wavelengths, SEMBAY S., COE M.J., CLEMENT R, DEAN A.J., HANSON C.G., FERRARI-TONIOLO M., PERSI P., SPINOGLIO L., BASSANI L.,	
DI COCCO G., MACDOUGALL J.R., ELSMORE B	121
WALL J.V., PEACOCK J.A	173
NGC 7582, MORRIS Simon, WARD Martin, WHITTLE Mark, WILSON A.S., TAYLOR K Polarization properties of radio cores in galaxies and quasars, SAIKIA D.J.,	193
SWARUP G., KODALI P.D. Six mass-loss stars at 843 MHz, JONES P.A. The distances and associated properties of faint radio sources, PERRYMAN M.A.C.,	613
DOWNES A.J.B., LILLY S.J. MERLIN radio observations of the quasar 3C 273, FOLEY A.R., DAVIS R.J	641
Observations of compact radio sources in the Galactic plane, GREEN D.A	691
The nature of the megamaser galaxy IC 4553 (Arp 220), NORRIS R.P	701
ADE P.A.R., AVERY L.W. A new galactic supernova remnant, G312.4-0.4, CASWELL J.L., BARNES Peter J	713
The influence of thermal plasma on synchrotron radiation, CAWTHORNE T.V An X-ray, optical and radio study of PKS 0745-191: a massive cooling flow, FABIAN A.C., ARNAUD K.A., NULSEN P.E.J., WATSON M.G., STEWART G.C., MCHARDY I.,	795
SMITH A., COOKE B., ELVIS M., MUSHOTZKY R.F	923
comparing data, TAN Sze M., GULL Stephen F	949
Steady jets, WILSON M.J., FALLE S.A.E.G. Interferometric observations of the mainline OH maser emission from OH127.8-0.0,	971
DIAMOND P.J., NORRIS R.P., BOOTH R.S	251 251
GARDNER F.F., STEWART R.T. An OH maser outburst in Cepheus A, COHEN R.J., BREBNER G.C.	351 511
SOLAR SYSTEM Orbital stability during the early stages of planetary formation, DONNISON J.R.,	
WILLIAMS I.P	52
FARINELLA P., PAOLICCHI P., ZAPPALA' V	56
COLE G.H.A., HERNIMAN J.	73
SPECTROSCOPY New line identifications in the blue spectra of Hg-Mn stars, GUTHRIE B.N.G	
STARS	
New Wolf-Rayet stars in the Large Magellanic Cloud, MORGAN D.H., GOOD A.R	45
STARS - BINARY The outcome of accretion on to a fully convective star: expansion or contraction?	
PRIALNIK Dina, LIVIO Mario	3
COOK M.C	21
Speckle interferometry of Hipparcos link stars - II, ARGUE A.N., HEBDEN J.C., MORGAN B.L., STANDLEY C., VINE H.A. The light curve of TX Cassiopeiae: some preliminary results about an almost	44
unknown EB-type binary, BREINHORST R.A., KARIMIE M.T	66
WICKRAMASINCHE D.T., MEGGITT S.M.A	85
KHALIULLIN Kh. F., MARTYNOV D. Ya	90 93
Simultaneous X-ray and optical observations of the X-ray dip source X1755-338, MASON K.O., PARMAR A.N., WHITE N.E.	103

The discovery of low-level iron K line emission from Cyg X-1, BARR P., WHITE N.E., PAGE C.G.	65P
STARS - CHEMICAL COMPOSITION OF	
On the nature of the neutron exposure event of U Aquarii, MALANEY R.A	
STARS - CLUSTERS OF	
Studies of violent star formation in extragalactic systems - I. Population synthesis model for the ionizing clusters of giant H II regions and H II galaxies, MELNICK Jorge, TERLEVICH Roberto, EGGLETON P.P.	255
STARS - FORMATION OF Studies of violent star formation in extragalactic systems - I. Population	
synthesis model for the ionizing clusters of giant H II regions and H II galaxies,	
MELNICK Jorge, TERLEVICH Roberto, EGGLETON P.P	255 403
magnetic gas clouds, PHILLIPS G.J., MONAGHAN J.J.	883
STARS - MAGNETIC FIELDS IN The adiabatic stability of stars containing magnetic fields - VI. The influence of	
rotation, PITTS E., TAYLER R.J	139
WICKRAMASINGHE D.T., MEGGITT S.M.A.	857
STARS - MASS LOSS FROM	
Six mass-loss stars at 843 MHz, JONES P.A	613
unknown EB-type binary, BREINHORST R.A., KARIMIE M.T. Echelle observations of the complex Hg and [N II] line profiles from the Galactic	663
H II region M17 (NGC 6618), CLAYTON C.A., IVCHENKO V.N., MEABURN J., WALSH J.R Illumination of reflection nebulosity in the L1551 dark cloud by the infrared	761
sources IRS5 and L1551NE, DRAPER P.W., WARREN-SMITH R. F., SCARROTT S.M	7 P
STARS - PHOTOMETRY OF	
On the intrinsic uvby colours of early-type supergiants, KILKENNY David, WHITTET D.C.B.	127
The colour-magnitude diagram of the halo of the Small Magellanic Cloud, BRÜCK M.T., CANNON R.D., HAWKINS M.R.S.	165
High-speed photometry of Z Chamaeleontis covering the 1983 March normal outburst, COOK M.C.	219
A superoutburst of the dwarf nova EK Trianguli Australis, HASSALL B.J.M Dwarf novae in outburst: monitoring WX Hydri with IUE, HASSALL B.J.M.,	335
PRINGLE J.E., VERBUNT F. Periodicity and pulsational mode of five bright yellow supergiants,	353
ARELLANO FERRO A	571
A spectroscopic survey of faint ultraviolet excess stellar objects BOYLE B.J., FONG R., SHANKS T., CLOWES R.G.	623
The light curve of TX Cassiopeiae: some preliminary results about an almost unknown EB-type binary, BREINHORST R.A., KARIMIE M.T.	663
The Cepheid HD 144972 and the problematic distance to the open cluster NGC 6067, COULSON Iain M., CALDWELL John A.R.	671
VJHK observations of the RR Lyrae star VY Serpentis, LONGMORE A.J., FERNLEY J.A., JAMESON R.F., SHERRINGTON M.R., FRANK J.	873
Apsidal motion and the third body in the system RU Monocerotis, KHALIULLINA A.I., KHALIULLIN Kh. F., MARTYNOV D. YA.	909
Eclipse maps of the accretion disc in RW Trianguli, HORNE Keith, STEINING Rae F A frequency analysis of a newly discovered Rapidly Oscillating Ap star, HD 6532,	933
KURTZ D.W., KREIDL Tobias J	987 1013
The Ap star 53 Cam: another 21 Com?, Kreidl Tobias J	
MASON K.O., PARMAR A.N., WHITE N.E.	1033
The late infrared development of Nova Serpentis 1970, MITCHELL R.M., ROBINSON G., HYLAND A.R., NEUGEBAUER G.	1057

STATE PARAMETAN OF	
STARS - ROTATION OF The adiabatic stability of stars containing magnetic fields - VI. The influence of rotation, PITTS E., TAYLER R.J	139
STARS - SPECTROSCOPY OF New line identifications in the blue spectra of Hg-Mn stars, GUTHRIE B.N.G A spectroscopic survey of faint ultraviolet excess stellar objects BOYLE B.J.,	1
FONG R., SHANKS T., CLOWES R.G	623 743
STARS - STRUCTURE AND EVOLUTION OF The outcome of accretion on to a fully convective star: expansion or contraction?	
PRIALNIK Dina, LIVIO Mario	139
STARS - VARIABLE	
Periodicity and pulsational mode of five bright yellow supergiants, ARELLANO FERRO A	571
COULSON Iain M., CALDWELL John A.R. VJHK observations of the RR Lyrae star VY Serpentis, LONGMORE A.J., FERNLEY J.A.,	671 873
JAMESON R.F., SHERRINGTON M.R., FRANK J	933
KURTZ D.W., KREIDL Tobias J	
STARS - VELOCITIES OF The Cepheid HD 144972 and the problematic distance to the open cluster NGC 6067, COULSON Iain M., CALDWELL John A.R.	671
SUPERNOVAE AND SUPERNOVAE REMNANTS Optical spectrophotometric study of supernova remnants in the Large Magellanic	
Cloud, DANZIGER I.J., LEIBOWITZ E.M	365 753
comparing data, TAN Sze M., GULL Stephen F	949 57 I
ULTRAVIOLET ASTRONOMY	
IRAS observations of MKN 501 with quasi-simultaneous observations at radio, near-infrared and ultraviolet wavelengths, SEMBAY S., COE M.J., CLEMENT R, DEAN A.J., HANSON C.G., FERRARI-TONIOLO M., PERSI P., SPINOGLIO L., BASSANI L.,	
DI COCCO G., MACDOUGALL J.R., ELSMORE B A superoutburst of the dwarf nova EK Trianguli Australis, HASSALL B.J.M Dwarf novae in outburst: monitoring WX Hydri with IUE, HASSALL B.J.M.,	335
PRINGLE J.E., VERBUNT F	353
low-luminosity QSO, TREVES A., DREW J., FALOMO R., MARASCHI L., TANZI E.G., WILSON R.	529
X-RAY ASTRONOMY A theoretical model of the M87 jet, FALLE S.A.E.G., WILSON M.J	79
An X-ray, optical and radio study of PKS 0745-191: a massive cooling flow, FABIAN A.C., ARNAUD K.A., NULSEN P.E.J., WATSON M.G., STEWART G.C., MCHARDY I.,	
SMITH A., COOKE B., ELVIS M., MUSHOTZKY R.F	923
MASON K.O., PARMAR A.N., WHITE N.E. Serendipitous EXOSAT sources in the region of the Coma cluster: Active Galactic Nuclei with steep X-ray spectra, BRANDUARDI-RAYMONT G., MASON K.O., MURDIN P.G.,	103:
MARTIN C. The discovery of low-level iron K line emission from Cyg X-1, BARR P., WHITE N.E.,	
MALK C. C.	60.

